



USING INSTRUCTIONS OF SHOWER ROOM



BU108A WU108A

directory

Preface	2
Installation and use Caution	2
part names	3
Installation Tools Suggested (Prepared by User)	3
Spare screws	3
Recommendation tools(user-owned)	3
Installation Steps	4
Mixer Using Intruction	8



Reminder:

All appearance pictures for parts and components of this product in this Installation and Operation Manual are for reference only. The appearance of the actual product shall be taken as the standard, while the operation methods are the same.

Preface

Thank you wholeheartedly for purchasing our shower room. To use this product safely and efficiently, please read this manual carefully before use, and pay attention to the followings:

- 1, We will offer the quality warranty service for the user of this product. To guarantee your interests, please complete the warranty card carefully, and call the dealer or us for any other service needed.
- 2, Any damage or trouble of the product caused by improper installation or operation shall be excluded in the warranty.
- 3, To achieve the best service effect of this line of products, it is recommended to use our original parts.
- 4, To avoid fire or electric shock, please ensure that controller is not exposed to rain or wet surroundings. As controller contains accessories with dangerous high-voltage, please do not open the cover.
- 5, Without permissions from controller manufacturer and authorized party, any changes or disassembly of this controller will probably bring inconvenience in use to user.
- 6, Power supply adopted should match voltage specification marked on the controller. Otherwise it becomes unusable and can even burn out the controller.
- 7, When installing the controller, please check cautiously whether the loaded parameters corresponds to those required by the controller. Otherwise it becomes unusable and can even burn out the controller.
- 8, If occasional crash appears, please restart it.

Installation and use Caution

To guarantee normal use of products and personal safety of users and prolong use life of products, please read carefully the following requirements before use:


- 1, Users must perform load installation in strict accordance with circuit drawing and parameters offered by our company.
- 2, Should not be illegal manufacturers recommend electrical equipment connected to the controller, and prohibit the unauthorized disassembly, modification have been sealed wiring or charging power supply inserting box wiring and plug.
- 3, Connect the line power supply box should press connector number and specification corresponding socket, output line can not be short circuit.
- 4, For there is no repairable elements in controller, do not attempt any improvement. Because of dangerous high voltage in controller, maintenance and adjustment must be carried on by professionals.

The company is not held responsible for results caused by users' violation of the above-mentioned operation specifications

part names



handle



Top gush



shower



shower chain



shower base



copper lifting support












pulley



single handle

Installation Tools Suggested (Prepared by User)

				
Lower guide rail aluminum materials	Upper guide rail aluminum materials	back panel aluminum materials	Column aluminum materials	Magnetic adhesive tape
				
307d waterproof adhesive tape	Column aluminum materials	334 rubber mat (Left)	334 rubber mat (Right)	

Spare screws



M4X6 round self-tapping screw



M6X30 countersunk wood screw



hexagonal socket screw



M4X18 countersunk wood screw



M4X35 countersunk wood screw

Recommendation tools(user-owned)



Screwdriver



3.0 drill bit



Hammer



Foot level



Wrench




Electric drill




Hexagonal key

Installation Steps

I. Base tray installation




II. Glass door installation




(Fig.2)


III. Install the back plate



(Fig.3)




(Fig.4)




(Fig.5)

IV. installation of movable glass




(Fig.6)




(Fig.7)

V. Top cover



VI. Installation of parts



VII . Power and water check and connection

Please check whether the various installation procedures are in compliance with the above-mentioned requirements. Correctly connect the various power cords according to corresponding markings and directions. There shall be no loosening for various connecting plugs. After check, connect the power supply, check the various power and water supplies carefully, then open the water and power supplies, check whether the various functions are normal, and whether there is water leakage with the various connectors.

Note:

1. Please connect the power cords and connectors as indicated in the circuit diagram, avoiding wrong and missing connection or reverse connection, otherwise, the computer board may be burnt.





2. Be sure that there is no water entry or drop for the various connectors of the power cords.

Mixer Using Intruction


1. Hand wheel A is the function-shifting switch. The rotation of the wheel in different directions will shift the functions such as foot massage, shower, back spray and top spray etc.

2. Hand wheel B is the cold/hot water switch. Pulling up the wheel will let water in, while turning the wheel in different directions will adjust the water temperature.




-  Top spray
-  Shower head
-  Back spray
-  Foot massage

A Function conversion switch



H hot
C cold

B Hot and cold water switch



Reminder: the company reserves the right to make change on the product appearance and accessories and no further notice is given. The dimension and color of any product are subject to those of the material object.